

HEAVY DUTY CLEANER

Heavy duty, water washable, multi-purpose degreaser.

A specially formulated blend of degreasing solvents designed to remove grease, oil and general workshop grime rapidly from a wide range of surfaces.

It emulsifies grease and grime then the residue can be easily removed by wiping, washing or hosing with water. Ideal for cleaning machinery, flooring, concrete, paving etc.

FEATURES

- Ø Powerful solvent blend cuts through grease
- Ø Water emulsifiable
- Ø Safe on metals, most plastics and paints
- Ø Does not contain chlorinated solvents
- Ø Available in bulk fluid or convenient aerosol form

DIRECTIONS FOR USE

- Ø Aerosol: Shake well and spray from a distance of approx. 15-30 cms
- Ø Apply directly to the grease or grime
- Ø Allow to soak for a few minutes then wipe or wash off
- Ø For heavier contamination, allow to soak for longer periods of time
- **Ø** As with all products of this type it is recommended that compatibility with painted or coated surfaces, plastics and rubber be tested prior to use

Technical and Safety Data Sheets are available from:

Fax Back Facility : +44 (0)113 232 2770

Web Site : www.rocol.com

Customer Service : +44 (0)113 232 2700

Issue 34014c: Jan-04

ROCOL Lubricants

ROCOL House, Swillington, Leeds LS26 8BS, England.
Tel: +44 (0)113 232 2600 Fax: +44 (0)113 232 2760

WWW.rocol.com

ROCOL is a BS EN ISO 9001 registered company.

ROCOL is a trade mark of ITW Inc.

The information in this publication is based on our experience and reports from customers.

There are many factors outside our control or knowledge which affect the use and performance of our products, for which reason it is given without responsibility.





TECHNICAL DATA (typical values)

HEAVY DUTY CLEANER SPRAY	
Appearance	Colourless liquid
Propollant	Carbon dioxide (CO ₂)
Propellant	Carbon dioxide (CO ₂)
Solvent	Blend of hydrocarbon and alcohol
Flash Point (PMCC)	29°C
Density (kg/m3)	0.8. (measured as kg/litre)
Definity (kg/filo)	o.o. (measured as kg/iiire)
HEAVY DUTY CLEANER FLUID	
Annograpeo	Colourless liquid
Appearance	Colouriess liquid
Solvent	Blend of hydrocarbon and alcohol
	0-
Flash Point (PMCC)	28°C
Density (kg/m3)	0.8. (measured as kg/litre)
Demoky (Ng/1110)	o.o. (measured as rig/miro)
Otana na	Otana na taman anatuma ah avildi.
Storage	Storage temperature should be controlled to between 1 and 40 °C.
	Controlled to between 1 and 40 °C.
Pack sizes	300 ml aerosol, 5L

Issue 34014c: Jan-04

ROCOL Lubricants

ROCOL House, Swillington, Leeds LS26 8BS, England.

Tel: +44 (0)113 232 2600 Fax: +44 (0)113 232 2760

WWW.rocol.com

ROCOL is a BS EN ISO 9001 registered company.

ROCOL is a trade mark of ITW Inc.

The information in this publication is based on our experience and reports from customers.

There are many factors outside our control or knowledge which affect the use and performance of our products, for which reason it is given without responsibility.

2